



ENERGY EFFICIENCY EXPERTS





YOUR COMFORT PARTNER

As a **Quebec-based company,** we're constantly pushing the technical and aesthetic boundaries surrounding the design and manufacture of windows and doors. We achieve this by investing in research and development, allowing us to offer innovative, high-performance and durable products, perfectly suited to our harsh climate. We also achieve this through the keen attention to detail and commitment of our team, whose members are totally dedicated to your satisfaction.

Our commitment to excellence, from design to installation, is matched only by our pride in offering the best products on the market.

PEACE OF MIND GUARANTEED

ENERGY STAR and NFRC certified, Artik windows and doors meet the highest quality standards and offer some of the best energy performance in the industry. Furthermore, they come with noteworthy guarantees. In fact, when you choose Artik, you benefit not only from optimum comfort, but also from total peace of mind.

OUR GUARANTEES









Windows and doors are made with the highest quality materials and components. Perfectly suited to the northern climate, they're durable and render high-performing reliability. Stylish and versatile, they're ideal for residential and commercial projects.



CASEMENT OR AWNING WINDOWS IN PVC-U



HYBRID CASEMENT OR AWNING WINDOW IN ALUMINUM AND PVC-U



SINGLE-HUNG IN PVC-U



SLIDING IN PVC-U



SINGLE-HUNG OR SLIDING WINDOWS



PVC-U-COATED WOOD-FRAMED PATIO DOORS



HYBRID AND PVC-U PATIO DOORS



ENTRANCE DOOR WITH PVC-U-COATED WOOD FRAME, SHEET ALUMINUM OR EXTRUDED ALUMINUM

TIME FOR HIGH PERFORMANCE

High performance in every regard, the products in the Artik series stand out for their resolutely modern design and robust construction in white PVC-U vinyl. This extremely robust material offers exceptional performance, excellent energy efficiency and enhanced durability.

Artik series windows and doors also feature the Swisspacer-brand spacer system, made from a highly insulating fibreglass-reinforced composite material. Thanks to the Swisspacer's superior insulating performance, the glass remains at higher temperatures and cold radiation is decreased, considerably reducing the risk of condensation and mould.

Energy-efficient double or triple glazing on Artik Series windows and doors protects your home from the rigours of our climate, while multiple weatherstrips ensure exceptional sealing against air, water and wind. In addition, the top-of-the-range hardware system helps optimize durability and performance (stainless steel optional). Finally, fusion-welded corners and a multi-chamber structure ensure superior thermal and acoustic performance.

In a nutshell, these are doors and windows of unparalleled quality, offering outstanding energy performance that you'll enjoy every day... for decades to come!

VARIOUS OPTIONS FOR A PERFECT INTERIOR FINISH

To ensure a perfect finish, you can choose between PVC-coated finger-jointed pine, all PVC-U or select pine build-out. You can also select from an unlimited choice of interior paint colours (for certain models). The PVC-U casing and trim add the finishing touch.

EXTERIOR FINISH

You can choose from ten models of brickmould or bevel mouldings. We offer you all the flexibility you need for every design, thanks to our vast selection of grids, muntin bars and integrated false mullions in a variety of styles and colours. Finally, you'll be spoiled for choice when it comes to selecting exterior paint from an unlimited palette of colours.

SPECIAL ORDERS

Need architectural windows with geometric shapes or special dimensions? Or custom-built bay windows? Looking for a window built from scratch to match the style of your home? We can manufacture Artik windows according to your exact specifications.



ENERGY EFFICIENCY AND DURABILITY

From the choice of materials to the manufacturing process, we've gone to great lengths to optimize the energy efficiency and durability of Artik series windows and doors, making them ideal for our harsh climate.

We're now proud to offer you the most energy-efficient and durable windows and doors available.

PERFORMANCE

The performance of windows and doors is essential in our climate. We know this, and we've done everything we can to optimize the energy efficiency of our products.





AFFORDABLE

Artik doors and windows are available at prices to suit all budgets.

INNOVATION

The result of research and innovation, our doors and windows represent the very best in the market.





CASEMENT OR AWNING WINDOWS IN PVC-U


- Frame with integrated 5 $\frac{3}{4}$ " brickmould or 4 $\frac{9}{16}$ " and 5¹¹/₁₆" plain frame
- ENCORE operating mechanism in Truth Hardware's E-Gard finish for easy opening and maximum durability
- Truth Hardware E-Gard multi-point locking system (stainless steel optional) for maximum security and durability
- Contemporary sash design
- Structural or modular assembly for maximum flexibility

OPTIONS

Choice of colours

White

Choice of glass



Glazing type



Value for money

Durability

Energy performance



HYBRID CASEMENT **OR AWNING** WINDOW IN ALUMINUM AND PVC-U

- Frame with integrated 5 % brickmould or 5 ³⁄₄" plain frame
- ENCORE operating mechanism in Truth Hardware's E-Gard finish (stainless steel optional), for easy opening and maximum durability
- Truth Hardware E-Gard multi-point locking system (stainless steel optional) for maximum security and durability
- Anchor aluminum to PVC without any visible screws, for a visually appealing window
- Contemporary sash design

OPTIONS

Choice of aluminum colours



Glazing type Double Triple





Options

Innovation

High-quality finish



SINGLE OR DOUBLE SASH OR SLIDING WINDOWS IN PVC-U

OPTIONS

White

Choice of colours



Choice of glass



Value for money

Durability

Energy performance



Single or double-hung PVC-U windows are highly valued for their energy efficiency and durability. Designed for easy maintenance, it's a smart choice.

Features

- Two sash options, 5760 and 5751
- 4 %16" frame
- Integrated handle in the 5751 sash for added durability
- Full-length handle with double PVC-U partition integrated into the 5760 sash
- Single or double lock depending on window size

Sash window

- Tilting sash for easy maintenance
- Constant force balance system for easy sash opening

Sliding window

- Nylon glide sash sliding system for smooth opening and closing
- Easily removable sash for easy maintenance



RTKSERIES

HYBRID SINGLE-HUNG OR SLIDING WINDOWS

AUTHENTICALLY YOURS

Sash or sliding windows give your home an authentic look. You'll appreciate their beauty as much as their functionality and performance.

FEATURES

- Hybrid window: 5 $\%_{\rm 6}{''}$ plain frame, frame with 5 $\%_{\rm 6}{''}$ integrated moulding
- Modular assembly
- Patented drainage system removes water quickly and efficiently
- Handle integrated into the sash for added durability
- Single or double lock depending on window size
- Tilting or removable sash for easy maintenance
- Ease of use thanks to a sophisticated hardware system

OPTIONS

Aluminum colours (exterior)

Frosted



Clear

Choice of glass

Tinted

Glazing type



Durability

High-quality finish

Energy performance



Choose aesthetics, functionality, durability and performance. This magnificent patio door will give you complete satisfaction.

FEATURES

- 7 $\frac{1}{4}$ " or 5 $\frac{3}{8}$ " PVC-U-coated wood frame
- 4 $\%_{16}{''}$ all-PVC-U frame or 5 $\%_{16}{''}$ hybrid frame
- Mechanically assembled sashes for optimum quality
- Mortise handle available in a wide choice of colours and finishes
- Galvanized steel reinforcements on the moving rails and at the meeting point, for increased durability
- Sturdy aluminum running rails
- Incredibly strong top-quality screen

OPTIONS

White

Choice of colours


2, 3 or 4-panel

configuration

Choice of aluminum colours



Glazing type



Energy performance

PVC-U-COATED

PATIO DOORS

DOORS

WOOD-FRAMED PATIO

HYBRID AND PVC-U

Innovation

Durability

11

AN EXCEPTIONAL DOOR

Combining sturdiness, performance and aesthetics, the PVC-U-coated wood frame door offers excellent value for money.

32

FEATURES

- Exterior cladding in PVC-U, sheet aluminum or extruded aluminum
- PVC-U or aluminum sheet interior cladding
- Anodized aluminum sill
- High definition 24-gauge steel door with white pre-finish
- Wide range of configurations available
- Choice of stained glass: Novatech or Verre Select
- A wide choice of door models and styles

OPTIONS

Choice of colours



Choice of glass (Varies according to the stained glass chosen)

Glazing type



Others options • Interior or exterior paint in your choice of colours

KSERIES

ENTRANCE DOOR WITH WOOD FRAME COATED WITH PVC-U, SHEET ALUMINUM OR EXTRUDED ALUMINUM

Durability

Options

Energy performance





TECHNICAL SPECIFICATIONS

	PVC-U ca	sement	PVC-U awning		Hybrid casement	Hybrid awning	Single sash in PVC-U	Double sash in PVC-U
Frame width	Brickmoulding: 5 ³ ⁄4"	Plain: 4 %16" or 5 11/16"				Plain: 4 %₅″		
Glazing	Double: ½" Triple: 1 %"						Double: 7/8"	
PVC-U colour	White							
Type of assembly	Structural	Modular / Structural	Structural	Modular / Structural	Modular / Structural	Modular / Structural	Mod	ular
Hardware	Encore operator and 13" Truth awning hinges with E-Gard finish or stainless steel operator with E-Gard finish or stainless steel operator with E-Gard finish or stainless steel operator and Truth awning hinges with E-Gard finish or stainless steel operator awning hinges with E-Gard finish or stainless steel operator		Pulley, spring and nylon cable					
Non-conductive spacer	Black SWISSPACER							
Number of weatherstrips	3 4					4		
Lock	Multipoint Single or double lock					ouble lock		
Energy-efficient glass	Double or triple: energy film and argon gas Doub					Double: energy fi	lm and argon gas	
Integrated grid	Integrated grid available in many styles and colours							
Interior finish (build-out)	Finger-jointed pine with PVC-U coating, PVC-U board, select pine							
Exterior finish	Choice of ten models of brick and bevel mouldings, open or closed, from $\%$ " to 4" wide, with or without nailing fin			ickmoulding	Choice of ten models of brick and bevel mouldings, open or closed, from ½" to 4" wide, with or without nailing fin			
Exterior surface paint	Factory-applied polyurethane acrylic paint							

	Single sliding in PVC-U	Double sliding in PVC-U	Hybrid single sash	Hybrid single sliding	PVC-U-coated wood-framed Patio doors	
Frame width	Plain: 4 %16″	Plain: 4 ‰″	Plain: 5 Brickmouldi		Plain: 7 ¼″ or 5 ¾″	
Glazing		Double: 1" Triple: 1"				
PVC-U colour	White					
Type of assembly		Structural				
Hardware	Nylon glides		Pulley, spring and nylon cable	Nylon glides	Sliding system with two adjustable wheels	
Non-conductive spacer		Non-conductive, black				
Number of weatherstrips	3	4				
Lock		Single or double point				
Energy-efficient glass		Double: energy film and argon gas Triple: Single or double energy film and argon gas				
Integrated grid	Many integrated grid styles and colours available					
Interior finish (build-out)	Finger-jointed pine with PVC-U coating, PVC-U board, select pine Finger-jointed pine with PVC-U coating, PVC-U board					
Exterior finish	Choice of ten models of bric or closed, from 7_8 " to 4" wid	k and bevel mouldings, open e, with or without nailing fin	Integrated brickmoulding		Choice of ten models of brick and bevel mouldings, open or closed, from %" to 4" wide, with or without nailing fin	
Exterior surface paint	Factory-applied polyurethane acrylic paint					



TECHNICAL SPECIFICATIONS (CONTINUED)

	Patio doors	Entrance door with PVC-U-coated wood frame, sheet aluminum or extruded aluminum			
Frame width	PVC-U: 4 %։″ Hybrid: 5 %։ ″	Plain: 4 5%", 5 ¼", 7 ¼", 9 ¼"			
Glazing	Double: 1" Triple: 1"				
PVC-U colour	White				
Type of assembly	Structural				
Hardware	Sliding system with two adjustable wheels	Regular ball bearing hinges or spring-loaded			
Non-conductive spacer	Non-conductive, black	Varies according to the stained glass chosen			
Number of weatherstrips	3	2			
Lock	Single or double point	Single or multipoint			
Energy-efficient glass	Double: energy film and argon gas Triple: Single or double energy film and argon gas	Varies according to the stained glass chosen			
Integrated grid	Many integrated grid styles and colours available				
Interior finish (build-out)	Finger-jointed pine with PVC-U coating, PVC-U board	Finger-jointed pine with PVC-U coating or sheet aluminum			
Exterior finish	Choice of ten models of brick and bevel mouldings, open or closed, from $\%^{\prime\prime}$ to $4^{\prime\prime}$ wide, with or without nailing fin				
Exterior surface paint	Factory-applied polyurethane acrylic paint				



OUR ACCREDITATIONS



Symbol of excellence in energy efficiency, a program supported by Natural Resources Canada's Office of Energy Efficiency. | www.energystar.gc.ca



A U.S. organization that sets and monitors quality standards for all fenestration products. | www.nfrc.org

OUR MAJOR SUPPLIERS




A true leader among Canadian insulating glass manufacturers, Robover is a 100% Quebec company. | www.robover.ca

> This supplier is a pioneer and North American industry leader in the manufacture of PVC-U profiles. | www.phtech.ca



This manufacturer of window and patio door hardware is the North American benchmark for the industry. | www.truth.com





Your confort partner artik.ca

Distributed by: